

FIG. 1






FIG. 2



F I G . 3



F I G . 4

PROCEDURE 1 (IN CASE OF LINE-OF-SIGHT INPUT)

VIEWER: PRESSES SWITCH ON PLAYBACK APPARATUS S410



PLAYBACK APPARATUS POWER IS TURNED ON S412



CONVENTIONAL DYNAMIC RANGE PLAYBACK IS PERFORMED S414

VIEWER: EYES STOP AT PLAYBACK APPARATUS PART VIEWER WANTS TO LOOK AT S420




LINE-OF-SIGHT DETECTION APPARATUS DETECTS VIEWER'S LINE-OF-SIGHT S422



DYNAMIC RANGE OF PART WHERE LINE-OF-SIGHT WAS DETECTED IS CHANGED, AND WHITE-SKIP PART OR BLACKENING PART IS REPRODUCED APPROPRIATELY S424

VIEWER: CAN VIEW PART HE/SHE WANTS TO LOOK AT S430

F I G . 5



[illegible]

PROCEDURE 2 (IN CASE OF TOUCH PANEL)

VIEWER: PRESSES SWITCH ON PLAYBACK APPARATUS S610

PLAYBACK APPARATUS POWER IS TURNED ON


CONVENTIONAL DYNAMIC RANGE PLAYBACK IS PERFORMED

VIEWER: TOUCHES PART OF TOUCH PANEL OF IMAGE HE/SHE WANTS TO LOOK AT ON PLAYBACK APPARATUS

DYNAMIC RANGE OF AREA THE ABOVE DESCRIBED
PART IS CHANGED, AND WHITE-SKIP PART OR
BLACKENING PART IS REPRODUCED
APPROPRIATELY

VIEWER: CAN VIEW PART HE/SHE WANTS TO LOOK AT S630

F I G . 7



2025 RELEASE UNDER E.O. 14176

FIG. 8




FIG. 9




FIG. 10

